



# HELIFLEX

## PREMIUM



**12x20mm | Side Bend | Single colour | RGBW**

IP67 | -20 to 45deg C | Uniform dot free illumination | Silicon extrusion moulding | High UV and salt water resistance | High impact resistance



**SINGLE COLOUR  
WHITE**



**5w per metre (up to 25m powered one end)**

CODE	V	W	COLOUR	CUT (mm)	Lm/m	MAX
HFP1220SB.5.27K	24	5	2700k	50		25m
HFP1220SB.5.3K	24	5	3000k	50	157	25m
HFP1220SB.5.4K	24	5	4000k	50		25m
HFP1220SB.5.65K	24	5	6500k	50		25m

**7.2w per metre (up to 20m powered one end)**

CODE	V	W	COLOUR	CUT (mm)	Lm/m	MAX
HF1220SB.72.27K	24	7.2	2700k	50		20m
HF1220SB.72.3K	24	7.2	3000k	50	228	20m
HF1220SB.72.4K	24	7.2	4000k	50		20m
HF1220SB.72.65K	24	7.2	6500k	50		20m



**SINGLE COLOUR  
WHITE**



**10w per metre (up to 15m powered one end)**

CODE	V	W	COLOUR	CUT (mm)	Lm/m	MAX
HFP1220SB.10.27K	24	10	2700k	50		25m
HFP1220SB.10.3K	24	10	3000k	50	308	25m
HFP1220SB.10.4K	24	10	4000k	50		25m
HFP1220SB.10.65K	24	10	6500k	50		25m


**15w per metre (up to 12m powered one end)**

CODE	V	W	COLOUR	CUT (mm)	Lm/m	MAX
HFP1220SB.15.27K	24	15	2700k	50		12m
HFP1220SB.15.3K	24	15	3000k	50	433	12m
HFP1220SB.15.4K	24	15	4000k	50		12m
HFP1220SB.15.65K	24	15	6500k	50		12m


**18w per metre (up to 15m powered both ends)**

CODE	V	W	COLOUR	CUT (mm)	Lm/m	MAX
HFP1220SB.18.27K	24	18	2700k	50		15m
HFP1220SB.18.3K	24	18	3000k	50		15m
HFP1220SB.18.4K	24	18	4000k	50	1050	15m
HFP1220SB.18.65K	24	18	6500k	50		15m





**SINGLE COLOUR**  
**BLUE | GREEN | RED**



CODE	V	W	COLOUR	CUT (mm)	Lm/m	MAX
HFP1220SB.5.BL	24	5	BLUE	50	57	25m
HFP1220SB.5.GR	24	5	GREEN	50	308	25m
HFP1220SB.5.RD	24	5	RED	50	112	25m

CODE	V	W	COLOUR	CUT (mm)	Lm/m	MAX
HFP1220SB.72.BL	24	7.2	BLUE	50	82	20m
HFP1220SB.5.GR	24	7.2	GREEN	50	444	20m
HFP1220SB.5.RD	24	7.2	RED	50	162	20m

CODE	V	W	COLOUR	CUT (mm)	Lm/m	MAX
HFP1220SB.10	24	10	BLUE	50	107	15m
HFP1220SB.10	24	10	GREEN	50	548	15m
HFP1220SB.10	24	10	RED	50	238	15m

CODE	V	W	COLOUR	CUT (mm)	Lm/m	MAX
HFP1220SB.15	24	15	BLUE	50	149	12m
HFP1220SB.15	24	15	GREEN	50	697	12m
HFP1220SB.15	24	15	RED	50	323	12m





## RGBW

CODE	V	W	COLOUR	CUT (mm)	Lm/m	MAX
HFP1220SB.12.RGBW27K	24	12	RGB+2700	62.5		16m
HFP1220SB.12.RGBW3K	24	12	RGB+3000	62.5		16m
HFP1220SB.12.RGBW4K	24	12	RGB+4000	62.5		16m
HFP1220SB.12.RGBW65K	24	12	RGB+6500	62.5		16m



## RGBW– DIGITAL ADDRESSABLE

CODE	V	W	COLOUR	CUT (mm)	pX/m	MAX
HFP1220SB.16.RGBW27K	24	16	RGB+2700	125	8	5m
HFP1220SB.16.RGBW3K	24	16	RGB+3000	125	8	5m
HFP1220SB.16.RGBW4K	24	16	RGB+4000	125	8	5m
HFP1220SB.16.RGBW65K	24	16	RGB+6500	125	8	5m






HFP1220SB-MCU

Fixing clip




HFP1220SB-PCE

Power cord end



HFP1220SB-PCS

Power cord side



HFP1220SBMC1M FIXING CHANNEL 1m | HFP1220SBFMCH1M

